ELSEVIER

Analytica Chimica Acta 435 (2001) 393–396

ANALYTICA CHIMICA ACTA

www.elsevier.com/locate/aca

Author Index

Abe, M., see Kobayashi, T. 141
Abollino, O., see Sarzanini, C. 343
Acha, V.
—, Ruysschaert, J.-M. and Goormaghtigh, E.
Stacks of close to 100 phospholipid bilayers fully accessible to proteins. An ATR–FTIR-based chemometric analysis on hydrated phospholipid films 215
Adbo, K.
— and Nicholls, I.A.
Enantioselective solid-phase extraction using Tröger's base molecularly imprinted polymers 115
Adbo, K., see Nicholls, I.A. 9
Akiyama, T., see Asanuma, H. 25
Allender, C.J.
—, Andersson, H.S., Brain, K.R. and Ramstrom, O.
Preface 1
Allender, C.J.
—, Brain, K.R., Ballatore, C., Cahard, D., Siddiqui, A. and McGuigan, C.
Separation of individual antiviral nucleotide prodrugs from synthetic mixtures using cross-reactivity of a molecularly imprinted stationary phase 107
Amador-Hernández, J.
—, Fernández-Romero, J.M. and Luque de Castro, M.D.
Three-dimensional analysis of screen-printed electrodes by laser induced breakdown spectrometry and pattern recognition 227
Andersson, H.S., see Allender, C.J. 1
Andersson, H.S., see Nicholls, I.A. 9
Andersson, L.I., see Karlsson, J.G. 57
Andersson, L.I., see Schweitz, L. 43
Andersson, P.O., see Nicholls, I.A. 9
Ankarloo, J., see Nicholls, I.A. 9
Asanuma, H.
—, Akiyama, T., Kajiya, K., Hishiya, T. and Komiyama, M.
Molecular imprinting of cyclodextrin in water for the recognition of nanometer-scaled guests 25
Austin, E., see Bi, M. 309

Ballatore, C., see Allender, C.J. 107
Bárzana, E., see Castro, B. 83
Baxter, S.C., see Umpleby II, R.J. 35
Bayoudh, S., see Lanza, F. 91
Benrebouh, A., see Idziak, I. 137
Berch Jr., J.K., see Umpleby II, R.J. 35
Bereczki, A., see Lanza, F. 91

Bi, M.
—, Austin, E., Smith, B.W. and Winefordner, J.D.
Elemental analysis of Spanish moss using laser ablation inductively coupled plasma mass spectrometry 309
Biernath, H., see Mansfeldt, T. 377
Bode, M., see Umpleby II, R.J. 35
Bordin, G., see Dabrio, M. 319
Brain, K.R., see Allender, C.J. 1, 107
Brüggemann, O.
Chemical reaction engineering using molecularly imprinted polymeric catalysts 197

Cahard, D., see Allender, C.J. 107
Cárdenas, S., see Criado, A. 281
Castro, B.
—, Whitcombe, M.J., Vulfson, E.N., Vazquez-Duhalt, R. and Bárzana, E.
Molecular imprinting for the selective adsorption of organosulphur compounds present in fuels 83
Chen, L.-X., see Yang, H.-H. 265
Chen, S.-Y.
—, Wu, M.-S. and Tsai, S.-J.J.
Determination of silicon in nickel-based alloys using electrothermal atomic absorption spectrometry with longitudinal Zeeman-effect background correction and zinc oxide pretreatment 357
Cook, C., see Petcu, M. 49
Cooney, J., see Petcu, M. 49
Cormack, P.A.G., see Lanza, F. 91
Cormack, P.A.G., see Ye, L. 187
Criado, A.
—, Cárdenas, S., Gallego, M. and Valcárcel, M.
Usefulness of the evaporative light scattering detector for direct screening of biological fluids 281

Dabrio, M.
—, Van Vyncht, G., Bordin, G. and Rodriguez, A.R.
Study of complexing properties of the α and β metallothionein domains with cadmium and/or zinc using electrospray ionisation mass spectrometry 319
Dai, S., see Makote, R.D. 169
Dasgupta, P.K.
—, Tanaka, H. and Jo, K.D.
Continuous on-line true titrations by feedback based flow ratiometry: application to potentiometric acid–base titrations 289

PII: S0003-2670(01)01036-4

Daunert, S., see Wang, J. 255
Deng, G., see Markowitz, M.A. 177
Deschamps, F., see Idziak, I. 137
Ding, M.-T., see Yang, H.-H. 265
Dubuc, G.J., see Wang, J. 255

Evmiridis, N.P., see Yao, D. 273

Fernández-Romero, J.M., see Amador-Hernández, J. 227
Fodor, P., see Ipolyi, I. 367
Fujii, N., see Kobayashi, T. 141

Gaber, B.P., see Markowitz, M.A. 177
Gallego, M., see Criado, A. 281
Ge, Y., see Rathbone, D.L. 129
Gillespie, J.B., see Taylor, L.C. 239
Goormaghtigh, E., see Acha, V. 215

Hall, A.J., see Lanza, F. 91
Hansen, E.H., see Wang, J. 331
Hedin-Dahlström, J., see Nicholls, I.A. 9
Hishiya, T., see Asanuma, H. 25
Holland, P., see Petcu, M. 49
Horvai, G., see Lanza, F. 91

Idziak, I.
—, Benrebouh, A. and Deschamps, F.
Simple NMR experiments as a means to predict the performance of an anti-17α-ethynylestradiol molecularly imprinted polymer 137
Ipolyi, I.
—, Stefánka, Zs. and Fodor, P.
Speciation of Se(IV) and the selenoamino acids by high-performance liquid chromatography–direct hydride generation–atomic fluorescence spectrometry 367

Jiang, Y.-C.
—, Zhang, Z.-Q. and Zhang, J.
Flow-injection, on-line concentrating and flame atomic absorption spectrometry for indirect determination of ascorbic acid based on the reduction of iron(III) 351
Jo, K.D., see Dasgupta, P.K. 289
Jokela, P., see Nicholls, I.A. 9

Kajiya, K., see Asanuma, H. 25
Kaneko, H., see Taimatsu, H. 247
Kapua, A., see Yan, M. 163
Karlsson, J.G.
—, Andersson, L.I. and Nicholls, I.A.
Probing the molecular basis for ligand-selective recognition in molecularly imprinted polymers selective for the local anaesthetic bupivacaine 57
Karlsson, J.G., see Nicholls, I.A. 9
Klaehn, J., see Markowitz, M.A. 177
Kobayashi, T.
—, Murawaki, Y., Reddy, P.S., Abe, M. and Fujii, N.
Molecular imprinting of caffeine and its recognition assay by quartz-crystal microbalance 141
Komiyama, M., see Asanuma, H. 25
Kust, P.R., see Markowitz, M.A. 177

Lanza, F.
—, Hall, A.J., Sellergren, B., Bereczki, A., Horvai, G., Bayoudh, S., Cormack, P.A.G. and Sherrington, D.C.
Development of a semiautomated procedure for the synthesis and evaluation of molecularly imprinted polymers applied to the search for functional monomers for phenytoin and nifedipine 91
Lauren, D., see Petcu, M. 49
Leatzow, D.M.
—, Van Wie, B.J., Weyrauch, B.N. and Tiffany, T.O.
Design optimization and characterization of a small-scale centrifugal cell separator 299
Lemaire, M., see Vigneau, O. 75
Li, D.-H., see Yang, H.-H. 265
Luque de Castro, M.D., see Amador-Hernández, J. 227

Makote, R.D.
— and Dai, S.
Matrix-induced modification of imprinting effect for Cu^{2+} adsorption in hybrid silica matrices 169
Mark Ensor, C., see Wang, J. 255
Mansfeldt, T.
— and Biernath, H.
Method comparison for the determination of total cyanide in deposited blast furnace sludge 377
Markowitz, M.A.
—, Kust, P.R., Klaehn, J., Deng, G. and Gaber, B.P.
Surface-imprinted silica particles: the effects of added organosilanes on catalytic activity 177
Martell, A.E., see Perutka, J. 385
McGuigan, C., see Allender, C.J. 107
Mentasti, E., see Sarzanini, C. 343
Mirsky, V.M., see Panasyuk-Delaney, T. 157
Mosbach, K.
Toward the next generation of molecular imprinting with emphasis on the formation, by direct molding, of compounds with biological activity (biomimetics) 3
Mosbach, K., see Yamazaki, T. 209
Mosbach, K., see Ye, L. 187
Murawaki, Y., see Kobayashi, T. 141

Narang, S.A., see Wang, J. 255
Nicholls, I.A.
—, Adbo, K., Andersson, H.S., Andersson, P.O., Ankarloo, J., Hedin-Dahlström, J., Jokela, P., Karlsson, J.G., Olofsson, L., Rosengren, J., Shoravi, S., Svenson, J. and Wikman, S.
Can we rationally design molecularly imprinted polymers? 9
Nicholls, I.A., see Adbo, K. 115
Nicholls, I.A., see Karlsson, J.G. 57
Nicholls, I.A., see Svenson, J. 19
Nilsson, S., see Schweitz, L. 43

Ohta, S., see Sode, K. 151
Olofsson, L., see Nicholls, I.A. 9

Panasyuk-Delaney, T.
—, Mirsky, V.M., Ulbricht, M. and Wolfbeis, O.S.
Impedometric herbicide chemosensors based on molecularly imprinted polymers 157
Perutka, J.
— and Martell, A.E.
Toward understanding of the synergistic oxidation of adamantane and hydrogen sulfide by molecular oxygen and with a dinuclear iron(II) macrocyclic complex as a catalyst 385
Petcu, M.
—, Cooney, J., Cook, C., Lauren, D., Schaare, P. and Holland, P.
Molecular imprinting of a small substituted phenol of biological importance 49
Pinel, C., see Vigneau, O. 75

Qin, L., see Zi-Hui, M. 121

Ramstrom, O., see Allender, C.J. 1
Rathbone, D.L.
— and Ge, Y.
Selectivity of response in fluorescent polymers imprinted with N^{l}-benzylidene pyridine-2-carboxamidrazones 129
Reddy, P.S., see Kobayashi, T. 141
Rodriguez, A.R., see Dabrio, M. 319
Rosengren, J., see Nicholls, I.A. 9
Ruysschaert, J.-M., see Acha, V. 215

Sarzanini, C.
—, Abollino, O. and Mentasti, E.
Flow-injection preconcentration and electrothermal atomic absorption spectrometry determination of manganese in seawater 343
Schaare, P., see Petcu, M. 49
Schweitz, L.
—, Andersson, L.I. and Nilsson, S.
Rapid electrochromatographic enantiomer separations on short molecularly imprinted polymer monoliths 43
Sellergren, B., see Lanza, F. 91
Shah, R.N., see Umpleby II, R.J. 35
Shea, K.J., see Spivak, D.A. 65
Sherrington, D.C., see Lanza, F. 91
Shimizu, K.D., see Umpleby II, R.J. 35
Shoravi, S., see Nicholls, I.A. 9
Siddiqui, A., see Allender, C.J. 107
Smith, B.W., see Bi, M. 309
Sode, K., see Yamazaki, T. 209
Sode, K.
—, Takahashi, Y., Ohta, S., Tsugawa, W. and Yamazaki, T.
A new concept for the construction of an artificial dehydrogenase for fructosylamine compounds and its application for an amperometric fructosylamine sensor 151
Spivak, D.A.
— and Shea, K.J.
Investigation into the scope and limitations of molecular imprinting with DNA molecules 65
Stefánka, Zs., see Ipolyi, I. 367

Svenson, J.
— and Nicholls, I.A.
On the thermal and chemical stability of molecularly imprinted polymers 19
Svenson, J., see Nicholls, I.A. 9

Tabacco, M.B., see Taylor, L.C. 239
Taimatsu, H.
— and Kaneko, H.
Measurements of buffer capacities of reducing gases against oxygen using a zirconia oxygen pump-gauge 247
Takahashi, Y., see Sode, K. 151
Tanaka, H., see Dasgupta, P.K. 289
Taylor, L.C.
—, Tabacco, M.B. and Gillespie, J.B.
Sensors for detection of calcium associated with bacterial endospore suspensions 239
Tiffany, T.O., see Leatzow, D.M. 299
Tsai, S.-J.J., see Chen, S.-Y. 357
Tsugawa, W., see Sode, K. 151

Ulbricht, M., see Panasyuk-Delaney, T. 157
Umpleby II, R.J.
—, Baxter, S.C., Bode, M., Berch Jr., J.K., Shah, R.N. and Shimizu, K.D.
Application of the Freundlich adsorption isotherm in the characterization of molecularly imprinted polymers 35

Valcárcel, M., see Criado, A. 281
Van Vyncht, G., see Dabrio, M. 319
Van Wie, B.J., see Leatzow, D.M. 299
Vazquez-Duhalt, R., see Castro, B. 83
Vigneau, O.
—, Pinel, C. and Lemaire, M.
Ionic imprinted resins based on EDTA and DTPA derivatives for lanthanides(III) separation 75
Vlessidis, A.G., see Yao, D. 273
Vulfson, E.N., see Castro, B. 83

Wang, J.
— and Hansen, E.H.
Coupling sequential injection on-line preconcentration by means of a renewable microcolumn with ion-exchange beads with detection by electrothermal atomic absorption spectrometry. Comparing the performance of eluting the loaded beads with transporting them directly into the graphite tube, as demonstrated for the determination of nickel in environmental and biological samples 331
Wang, J.
—, Mark Ensor, C., Dubuc, G.J., Narang, S.A. and Daunert, S.
Genetically fused single-chain anti-*Salmonella* antibody with aequorin: a bioluminescence immunoassay for a *Salmonella* antigen 255
Weyrauch, B.N., see Leatzow, D.M. 299
Whitcombe, M.J., see Castro, B. 83
Wikman, S., see Nicholls, I.A. 9
Winefordner, J.D., see Bi, M. 309

Wolfbeis, O.S., see Panasyuk-Delaney, T. 157
Wu, M.-S., see Chen, S.-Y. 357

Xu, J.-G., see Yang, H.-H. 265

Yamazaki, T., see Sode, K. 151
Yamazaki, T.
—, Yilmaz, E., Mosbach, K. and Sode, K.
Towards the use of molecularly imprinted polymers containing imidazoles and bivalent metal complexes for the detection and degradation of organophosphotriester pesticides 209
Yan, M.
— and Kapua, A.
Fabrication of molecularly imprinted polymer microstructures 163
Yang, H.-H.
—, Zhu, Q.-Z., Li, D.-H., Chen, L.-X., Ding, M.-T. and Xu, J.-G.
New mimetic enzymatic sandwich immunoassay system by using oligo(*N*-isopropylacrylamide) with an active terminal group as a separating support 265
Yao, D.
—, Vlessidis, A.G. and Evmiridis, N.P.
On-line monitoring of nitric oxide complexed with porphyrine-bearing biochemical materials by using flow injection with chemiluminescence detection 273
Ye, L.
—, Cormack, P.A.G. and Mosbach, K.
Molecular imprinting on microgel spheres 187
Yilmaz, E., see Yamazaki, T. 209

Zhang, J., see Jiang, Y.-C. 351
Zhang, Z.-Q., see Jiang, Y.-C. 351
Zhu, Q.-Z., see Yang, H.-H. 265
Zi-Hui, M.
— and Qin, L.
Determination of degradation products of nerve agents in human serum by solid phase extraction using molecularly imprinted polymer 121